



FIRE BEHAVIOUR TABLE

Product	Wood type and Colour	Surface			
		Bauwerk natural oil	Bauwerk factory lacquered finish		
			matt	silk-matt	B-Protect®
Unicopark	Oak	D _{fl} -s1			
	Oak Avorio	D _{fl} -s1			
	Oak Caffè	D _{fl} -s1			
	Oak Farina	D _{fl} -s1			
	Oak Fulvo	D _{fl} -s1			
	Oak Fumo	D _{fl} -s1			
	Oak Gold	D _{fl} -s1			
	Oak Mandorla	D _{fl} -s1			
Silverline Edition	Oak	D _{fl} -s1			
	Oak Crema				D _{fl} -s1
	Oak Avorio	D _{fl} -s1			
	Oak Farina	D _{fl} -s1			
	Oak Gold	D _{fl} -s1			
	Oak Silver	D _{fl} -s1			
Casapark	Oak	D _{fl} -s1	D _{fl} -s1		
	Oak Ambra	D _{fl} -s1			
	Oak Crema				D _{fl} -s1
	Oak Creta	D _{fl} -s1			
	Oak Fango	D _{fl} -s1			
	Oak Farina	C _{fl} -s1	C _{fl} -s1		D _{fl} -s1
	Oak Sasso	D _{fl} -s1			
	Oak Tabacco	D _{fl} -s1			
	Oak black limed	D _{fl} -s1			
	Oak smoked	C _{fl} -s1			
	Oak smoked Farina	C _{fl} -s1			

C_{fl}-s1: flame-retardant, with slight smoke formation | D_{fl}-s1: normally flammable, with slight smoke formation

FIRE BEHAVIOUR TABLE

Product	Wood type and Colour	Surface			
		Bauwerk natural oil	Bauwerk factory lacquered finish		
			matt	silk-matt	B-Protect®
Villapark	Oak	C _{fl} -s1	C _{fl} -s1		
	Oak Avena	C _{fl} -s1			
	Oak Avorio	C _{fl} -s1			
	Oak Crema				C _{fl} -s1
	Oak Creta	C _{fl} -s1			
	Oak Farina	C _{fl} -s1			C _{fl} -s1
	Oak Farro				C _{fl} -s1
	Oak Gold	C _{fl} -s1			
	Oak Mandorla	C _{fl} -s1	C _{fl} -s1		C _{fl} -s1
	Oak Nuvola	C _{fl} -s1			
	Oak Roccia	C _{fl} -s1			
	Oak Sasso				C _{fl} -s1
	Oak slightly smoked Cacao	C _{fl} -s1			
	Oak slightly smoked Canneto	C _{fl} -s1			C _{fl} -s1
	Oak slightly smoked Crema				C _{fl} -s1
	Oak slightly smoked Terra	C _{fl} -s1			
	Oak smoked	C _{fl} -s1	C _{fl} -s1		
	Oak smoked Lava	C _{fl} -s1			
	Oak smoked Crema				C _{fl} -s1
	Ash Farina				C _{fl} -s1
Walnut American	C _{fl} -s1				
Studiopark	Oak		C _{fl} -s1		
	Oak Avorio	C _{fl} -s1			
	Oak Crema				C _{fl} -s1
	Oak Creta	C _{fl} -s1			
	Oak Farina		C _{fl} -s1		
	Oak Farro				C _{fl} -s1
	Oak Mandorla		C _{fl} -s1		C _{fl} -s1
	Oak Mocca				C _{fl} -s1
	Oak Sasso				C _{fl} -s1
	Oak slightly smoked Cacao	C _{fl} -s1			
	Oak smoked	C _{fl} -s1			
Trendpark	Oak	D _{fl} -s1	D _{fl} -s1		
	Oak Avorio	D _{fl} -s1			
	Oak Crema				D _{fl} -s1
	Oak Deserto	D _{fl} -s1			
	Oak Farina	D _{fl} -s1	D _{fl} -s1		D _{fl} -s1
	Oak Mandorla	D _{fl} -s1	D _{fl} -s1		D _{fl} -s1
	Oak Mocca		D _{fl} -s1		
	Oak Sasso				D _{fl} -s1
	Oak Tabacco	D _{fl} -s1			
	Oak slightly smoked	D _{fl} -s1			
	Oak slightly smoked Crema				D _{fl} -s1
	Oak smoked	D _{fl} -s1	D _{fl} -s1		
	Oak smoked Crema				D _{fl} -s1
	Oak smoked Farina	D _{fl} -s1			

Cfl-s1: flame-retardant, with slight smoke formation | Dfl-s1: normally flammable, with slight smoke formation

FIRE BEHAVIOUR TABLE

Product	Wood type and Colour	Surface			
		Bauwerk natural oil	Bauwerk factory lacquered finish		
			matt	silk-matt	B-Protect®
Cleverpark	Oak	C _{fl} -s1	C _{fl} -s1		
	Oak Avorio	C _{fl} -s1			
	Oak Crema				C _{fl} -s1
	Oak Creta	C _{fl} -s1			
	Oak Farina	C _{fl} -s1	C _{fl} -s1		C _{fl} -s1
	Oak Farro				C _{fl} -s1
	Oak Grano		C _{fl} -s1		
	Oak Mandorla	C _{fl} -s1	C _{fl} -s1		C _{fl} -s1
	Oak Mocca		C _{fl} -s1		C _{fl} -s1
	Oak Sasso				C _{fl} -s1
	Oak slightly smoked	C _{fl} -s1			
	Oak slightly smoked Cacao	C _{fl} -s1			
	Oak slightly smoked Crema				C _{fl} -s1
	Oak smoked	C _{fl} -s1	C _{fl} -s1		
	Oak smoked Crema				C _{fl} -s1
	Maple Canadian		C _{fl} -s1		
	Maple Canadian Crema				C _{fl} -s1
	Ash Farina				C _{fl} -s1
	Cherry American		C _{fl} -s1		
Walnut American	C _{fl} -s1	C _{fl} -s1			
Cleverpark Silente	Oak		C _{fl} -s1		
	Oak Farina		C _{fl} -s1		
	Oak smoked		C _{fl} -s1		
Unopark 11mm	Oak	D _{fl} -s1	D _{fl} -s1		
	Oak Avorio	D _{fl} -s1			
	Oak Crema				D _{fl} -s1
	Oak Deserto	D _{fl} -s1			
	Oak Farina	D _{fl} -s1			
	Oak Tabacco	D _{fl} -s1			
	Oak slightly smoked	D _{fl} -s1			
	Oak smoked	D _{fl} -s1	D _{fl} -s1		
	Canadian Maple		D _{fl} -s1		
	Acacia steamed	C _{fl} -s1	D _{fl} -s1		
Unopark 12.5mm	Oak		C _{fl} -s1		
Solopark	Oak	D _{fl} -s1	D _{fl} -s1		
	Oak Crema				D _{fl} -s1
	Oak Farina		D _{fl} -s1		
	Oak Mandorla		D _{fl} -s1		
	Oak Mocca		D _{fl} -s1		
	Oak smoked	D _{fl} -s1	D _{fl} -s1		

C_{fl}-s1: flame-retardant, with slight smoke formation | D_{fl}-s1: normally flammable, with slight smoke formation

FIRE BEHAVIOUR TABLE

Product	Wood type and Colour	Surface			
		Bauwerk natural oil	Bauwerk factory lacquered finish		
			matt	silk-matt	B-Protect®
Monopark	Oak	C _{fl} -s1	C _{fl} -s1		
	Oak Avena		C _{fl} -s1		
	Oak Caffelatte		C _{fl} -s1		
	Oak Crema				C _{fl} -s1
	Oak Farina	C _{fl} -s1	C _{fl} -s1		C _{fl} -s1
	Oak Grano		C _{fl} -s1		
	Oak Mandorla	C _{fl} -s1	C _{fl} -s1		C _{fl} -s1
	Oak Mocca		C _{fl} -s1		
	Oak Sasso				C _{fl} -s1
	Oak slightly smoked Crema				C _{fl} -s1
	Oak smoked	C _{fl} -s1	C _{fl} -s1		
	Oak smoked Crema				C _{fl} -s1
	Maple Canadian		C _{fl} -s1		
	Beech unsteamed		C _{fl} -s1		
	Ash		C _{fl} -s1		
	Cherry American		C _{fl} -s1		
Walnut American	C _{fl} -s1	C _{fl} -s1			
Monopark Comfort	Oak	C _{fl} -s1	C _{fl} -s1		
	Oak Crema				C _{fl} -s1
	Oak Farina	C _{fl} -s1	C _{fl} -s1		C _{fl} -s1
	Oak smoked		C _{fl} -s1		
	Oak smoked Crema				C _{fl} -s1
Formpark 780 & 520	Oak	D _{fl} -s1			
	Oak Avorio	D _{fl} -s1			
	Oak smoked	D _{fl} -s1			
Formpark Quadrato	Oak	D _{fl} -s1			
	Oak Crema				D _{fl} -s1
	Oak smoked	D _{fl} -s1			
Formpark Mini 570 & 380	Oak	C _{fl} -s1			
	Oak Avorio	C _{fl} -s1			
	Oak smoked	C _{fl} -s1			
Formpark Rombico	Oak	C _{fl} -s1			
	Oak Farina	C _{fl} -s1			
	Oak Mandorla	C _{fl} -s1			

C_{fl}-s1: flame-retardant, with slight smoke formation | D_{fl}-s1: normally flammable, with slight smoke formation

FIRE BEHAVIOUR TABLE

Product	Wood type and Colour	Surface			
		Bauwerk natural oil	Bauwerk factory lacquered finish		
			matt	silk-matt	B-Protect®
Triopark	Oak	D _{fl} -s1	D _{fl} -s1		
	Oak Farina	D _{fl} -s1	D _{fl} -s1		
	Canadian Maple		D _{fl} -s1		
	Beech steamed		C _{fl} -s1		
Multipark 10 mm	Oak	D _{fl} -s1	D _{fl} -s1		
	Oak Farina		D _{fl} -s1		
	Beech unsteamed		D _{fl} -s1		
Multipark 9.5 mm	Oak		C _{fl} -s1		
	Oak Farina				C _{fl} -s1
	Oak Mocca				C _{fl} -s1
Multipark Silente	Oak		C _{fl} -s1		
Prepark	Oak			C _{fl} -s1	
Prepark Comfort	Oak			D _{fl} -s1	
Bonding parquet 8 mm & On-edge	Oak	D _{fl} -s1			

C_{fl}-s1: flame-retardant, with slight smoke formation | D_{fl}-s1: normally flammable, with slight smoke formation

*D_{fl}-s1: crude untreated; C_{fl}-s1: if it is lacquered / oiled on site

Important information:

- Classification according to EN 13501-1 and EN 14342 : 2013 (CWFT)
- Classification C_{fl}-s1 only applies when installing on non-flammable class A1_{fl} and A2_{fl} bases, with a raw density of at least 1'350 kg/m³.
- Classification C_{fl}-s1 only applies if bonding with Bauwerk MS35 or equivalent.
- Certificates are only valid for the condition of the product at the time of delivery, without the addition of any maintenance and care products. etc.